

神経芽腫委員会

Yoneda A, Nishikawa M, Uehara S, Oue T, Usui N, Inoue M, Fukuzawa M, Okuyama H. Can neoadjuvant chemotherapy reduce the surgical risks for localized neuroblastoma patients with image-defined risk factors at the time of diagnosis?. *Pediatr Surg Int.* 32:209. 2016. PMID:26763000

Yoneda A, Nishikawa M, Uehara S, Oue T, Usui N, Inoue M, Fukuzawa M, Okuyama H. Can image-defined risk factors predict surgical complications in localized neuroblastoma?. *Eur J Pediatr Surg.* 26:117. 2016. PMID:26528852

Matthay KK, Maris JM, Schleiermacher G, Nakagawara A, Mackall CL, Diller L, Weiss WA. Neuroblastoma. *Nat Rev Dis Primers.* 2:16078. 2016. PMID:27830764

田尻達郎. 【小児固形がんの最新トピックス】神経芽腫のトピックス. *小児外科.* 48:1185. 2016.

腎腫瘍委員会

Oue T, Koshinaga T, Takimoto T, Okita H, Tanaka Y, Nozaki M, Haruta M, Kaneko Y, Fukuzawa M. Anaplastic histology Wilms' tumors registered to the Japan Wilms' Tumor Study Group are less aggressive than that in the National Wilms' Tumor Study 5. *Pediatr Surg Int.* 32:851. 2016. PMID:27473009

肝腫瘍委員会

檜山 英三. 小児がん臨床研究プロトコルの実際「肝腫瘍」, よくわかる臨床研究～小児がん～. 医薬ジャーナル社:154. 2016.

Honda S, Minato M, Suzuki H, Fujiyoshi M, Miyagi H, Haruta M, Kaneko Y, Hatanaka KC, Hiyama E, Kamijo T, Okada T, Taketomi A. Clinical prognostic value of DNA methylation in hepatoblastoma: Four novel tumor suppressor candidates. *Cancer Sci.* 107:812. 2016. PMID:26991471

Hiyama E, Hishiki T, Watanabe K, Ida K, Yano M, Oue T, Iehara T, Hoshino K, Koh K, Tanaka Y, Kurihara S, Ueda Y, Onitake Y. Resectability and tumor response after preoperative chemotherapy in

hepatoblastoma treated by the Japanese Study Group for Pediatric Liver Tumor (JPLT)-2 protocol. *J Pediatr Surg.* 51:2053. 2016. PMID:27712887

Meyers RL, Maibach R, Hiyama E, Häberle B, Krailo M, Rangaswami A, Aronson DC, Malogolowkin MH, Perilongo G, von Schweinitz D, Ansari M, Lopez-Terrada D, Tanaka Y, Alaggio R, Leuschner I, Hishiki T, Schmid I, Watanabe K, Yoshimura K, Feng Y, Rinaldi E, Saraceno D, Derosa M, Czauderna P. Risk-stratified staging in paediatric hepatoblastoma: a unified analysis from the Children's Hepatic tumors International Collaboration. *Lancet Oncol*:2016. doi:10.1016/S1470-2045(16)30598-8. [Epub ahead of print]

横紋筋肉腫委員会

Hosoi H. Current status of treatment for pediatric rhabdomyosarcoma in the USA and Japan. *Pediatr Int.* 58:81. 2016. PMID:26646016

リンパ腫委員会

Tsurusawa M, Watanabe T, Goshō M, Mori T, Mitsui T, Sunami S, Kobayashi R, Fukano R, Tanaka F, Fujita N, Inada H, Sekimizu M, Koh K, Kosaka Y, Komada Y, Saito AM, Nakazawa A, Horibe K; lymphoma committee of the Japanese Pediatric Leukemia/lymphoma Study Group. Randomized study of granulocyte colony stimulating factor for childhood B-cell non-Hodgkin lymphoma: a report from the Japanese pediatric leukemia/lymphoma study group B-NHL03 study. *Leuk Lymphoma.* 57:1657.2016. PMID:26694130

(主) Sunami S, Sekimizu M, Takimoto T, Mori T, Mitsui T, Fukano R, Saito AM, Watanabe T, Ohshima K, Fujimoto J, Nakazawa A, Kobayashi R, Horibe K, Tsurusawa M. Prognostic Impact of Intensified Maintenance Therapy on Children With Advanced Lymphoblastic Lymphoma: A Report From the Japanese Pediatric Leukemia/Lymphoma Study Group ALB-NHL03 Study. *Pediatr Blood Cancer.* 63:451. 2016. PMID:26585702

AML 委員会

Taga T, Watanabe T, Tomizawa D, Kudo K, Terui K, Moritake H, Kinoshita A, Iwamoto S, Nakayama H, Takahashi H, Shimada A, Taki T, Toki T, Ito E, Goto H, Koh K, Saito AM, Horibe K, Nakahata T, Tawa A, Adachi S. Preserved High Probability of Overall Survival with Significant Reduction of Chemotherapy for Myeloid Leukemia in Down Syndrome: A Nationwide Prospective Study in Japan. *Pediatr Blood Cancer.*

63:248. 2016. PMID:26481183

Shiba N, Ohki K, Kobayashi T, Hara Y, Yamato G, Tanoshima R, Ichikawa H, Tomizawa D, Park MJ, Shimada A, Sotomatsu M, Arakawa H, Horibe K, Adachi S, Taga T, Tawa A, Hayashi Y. High PRDM16 expression identifies a prognostic subgroup of pediatric acute myeloid leukaemia correlated to FLT3-ITD, KMT2A-PTD, and NUP98-NSD1: the results of the Japanese Paediatric Leukaemia/Lymphoma Study Group AML-05 trial. *Br J Haematol.* 172:581. 2016. PMID:26684393

(主) Takahashi H, Watanabe T, Kinoshita A, Yuza Y, Moritake H, Terui K, Iwamoto S, Nakayama H, Shimada A, Kudo K, Taki T, Yabe M, Matsushita H, Yamashita Y, Koike K, Ogawa A, Kosaka Y, Tomizawa D, Taga T, Saito AM, Horibe K, Nakahata T, Miyachi H, Tawa A, Adachi S. High event-free survival rate with minimum-dose-anthracycline treatment in childhood acute promyelocytic leukaemia: a nationwide prospective study by the Japanese Paediatric Leukaemia/Lymphoma Study Group. *Br J Haematol.* 174:437. 2016. PMID:27029412

Matsuo H, Nakamura N, Tomizawa D, Saito AM, Kiyokawa N, Horibe K, Nishinaka-Arai Y, Tokumasu M, Itoh H, Kamikubo Y, Nakayama H, Kinoshita A, Taga T, Tawa A, Taki T, Tanaka S, Adachi S. CXCR4 Overexpression is a Poor Prognostic Factor in Pediatric Acute Myeloid Leukemia With Low Risk: A Report From the Japanese Pediatric Leukemia/Lymphoma Study Group. *Pediatr Blood Cancer.* 63:1394. 2016. PMID:27135782

Shiba N, Yoshida K, Shiraishi Y, Okuno Y, Yamato G, Hara Y, Nagata Y, Chiba K, Tanaka H, Terui K, Kato M, Park MJ, Ohki K, Shimada A, Takita J, Tomizawa D, Kudo K, Arakawa H, Adachi S, Taga T, Tawa A, Ito E, Horibe K, Sanada M, Miyano S, Ogawa S, Hayashi Y. Whole-exome sequencing reveals the spectrum of gene mutations and the clonal evolution patterns in paediatric acute myeloid leukaemia. *Br J Haematol.* 175:476. 2016. PMID:27470916

CML 委員会

Kurosawa H, Tanizawa A, Tono C, Watanabe A, Shima H, Ito M, Yuza Y, Hotta N, Muramatsu H, Okada M, Kajiwara R, Moriya Saito A, Mizutani S, Adachi S, Horibe K, Ishii E, Shimada H. Leukostasis in Children and Adolescents with Chronic Myeloid Leukemia: Japanese Pediatric Leukemia/Lymphoma Study Group. *Pediatr Blood Cancer.* 63:406. 2016. PMID:26485422

HLH/LCH 委員会

(主) Morimoto A, Shioda Y, Imamura T, Kudo K, Kawaguchi H, Sakashita K, Yasui M, Koga Y, Kobayashi R, Ishii E, Fujimoto J, Horibe K, Bessho F, Tsunematsu Y, Imashuku S. Intensified and prolonged therapy comprising cytarabine, vincristine and prednisolone improves outcome in patients with multisystem Langerhans cell histiocytosis: results of the Japan Langerhans Cell Histiocytosis Study Group-02 Protocol Study. *Int J Hematol.* 104:99. 2016. PMID:27040279

Morimoto A, Nakazawa Y, Ishii E. Hemophagocytic lymphohistiocytosis: Pathogenesis, diagnosis, and management. *Pediatr Int.* 58:817. 2016. PMID:27289085

森本哲. 組織球症の病態解明と治療の進歩. *日本小児血液・がん学会雑誌.* 53:428. 2016.

宮崎治, 塩田曜子. 造血器疾患の画像診断 2016 Langerhans cell histiocytosis の画像診断. *臨床画像.* 32:1135. 2016.